North America's Leader in Hazardous Material Information Management

1905 Aston Avenue, Carlsbad, CA 92008 Phone (800) 451-8346 Fax (760) 602-8888

MSDS PRODUCT INFORMATION

Date: 10/07/2005

To: MSDS Requester

From: 3E Company

Subject: The MSDS you have requested

[] MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communicatin Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

[X] MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

[] MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

[] MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: Q.E.P. Company

Product Name: Earthbond Gelled Pigment Carrier (DISCONTINUED)

MATERIAL SAFETY DATA SHEET

MANUFACTURER:

QEP COMPANY, INC.,

1081 Holland Drive, Boca Raton, Florida 33487 EMERGENCY PHONE 561-994-5550

SECTION 1. IDENTIFICATION & PHYSICAL DATA

PRODUCT NAME: Earthbond Gelled Pigment Carrier INTENDED USE: Grouting clay tiles in various colors

HAZARD CLASSIFICATION:

HEALTH HAZARD: 1
FIRE HAZARD: 0
REACTIVITY: 0
SPECIAL HAZARD 0

HMIS HAZARD CLASSIFICATION SYMBOLS:

HEALTH: 1 SLIGHT HAZARD
FIRE: 0 MINIMAL HAZARD
REACTIVITY: 0 MINIMAL HAZARD

==

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

This product is not known to contain a substance subject to Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40CFR372 at or above minimum amounts.

Product contains, or may contain, as residual substances:

Ingredient CAS Number Amount In Product OSHA PEL/STEL Acrylic Acid 79-10-7 < 0.6% PEL 10 ppm skin

Powder/dust of dried

Polymer and pigment Proprietary <25% None established or Not applicable

SECTION III PHYSICAL & CHEMICAL CHARACTERISTICS

APPEARANCE; Various colors governed by pigment content

SPECIFIC GRAVITY: ~ 1.04

VAPOR PRESSURE: (mg Hg @ 20 C) 0.1

VAPOR DENSITY: NA VOC's: 0.000 PH 6.5 to 8.5

SECTION IV PHYSICAL AND EXPLOSION HAZARD DATA

STABILITY: Stable FLASH POINT: None EXTINGUISHING MEDIA: NA.

UNUSUAL FIRE AND EXPLOSION HAZARDS: NA

==

SECTION V REACTIVITY DATA

STABILITY: Stable

==

SECTION VI HEALTH HAZARD DATA

Primary routes of entry: Inhalation/Ingestion: Yes

Skin: Flush contaminated skin with plenty of water. Remove contaminated clothing.

Consult a physician if irritation develops.

If Swallowed: Call a Physician immediately. Never give anything by mouth to an

unconscious person

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. If

irritation develops, consult a physician.

==

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

RELEASED OR SPILLED: Clean up spills with soap and water

WASTE DISPOSAL METHOD: Consult local, State, Federal agencies for specific requirements for your area, specifically the disposal of paint pigments in a water dispersion.

==

SECTION VIII TRANSPORTION DATA

Not Regulated.

USER RESPONSIBILITY

This bulletin cannot cover all possible situations which the user may experience during processing. Each aspect of your use should be examined to determine if additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. It is your responsibility to use this information for appropriate health and work guidelines for your employees.

==

Disclaimer

All statements, technical information and recommendations contained herein are based on available scientific tests or data which we believe to be reliable. The accuracy and completeness of such data are not warranted or guaranteed. We cannot anticipate all conditions under which this information and our products, or the products of other manufacturers in combination with our products, may be used. NW Technologies, Inc., assumes no liability or responsibility for loss or damage resulting from the improper use or handling of our products from incompatible product combinations, or from the failure to follow instructions, warning and advisories, in the products label and Material Safety Data Sheet.

Date Issued: September 24, 2001